

SCHWEGMAN ■ LUNDBERG ■ WOESSNER ■ KLUTH  
PATENT, TRADEMARK & COPYRIGHT ATTORNEYS  
P.O. Box 2938

Minneapolis, MN 55402  
Telephone (612) 373-6900 Facsimile (612) 339-3061

RECEIVED  
CENTRAL FAX CENTER  
JUN 27 2007

June 8, 2007

TO: Commissioner for Patents  
Attn: Anthony Tugbang  
Patent Examining Corps  
Facsimile Center  
P.O. Box 1450  
Alexandria, VA 22313-1450  
FAX NUMBER: 571-273-8300

FROM: David C. Peterson

OUR REF: 723.040US1

TELEPHONE:

Document(s) Transmitted: Request for Withdrawal as Attorney or Agent (2 pages).

Total pages of this transmission, including cover letter: 2 pages.

If you do NOT receive all of the pages described above, please telephone us at 612-373-6900 or fax us at 612-339-3061.

In re. Patent Application of: Gerald W. Mills et al.

Examiner: Anthony Tugbang

Serial No.: 09/736,529

Group Art Unit: 3729

Filed: December 13, 2000

Docket No.: 723.040US1

Title: MICROCOIL CONSTRUCTION

I hereby certify that this paper is being transmitted by facsimile to the U.S. Patent and Trademark Office on the date shown below.

Richard T. Huber

Richard Huber

6-27-07

Date of Transmission

JUN 27 2007

PTO/SB/83 (01-06)

Approved for use through 12/31/2008. OMB 0651-0035  
U.S. Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

<b>REQUEST FOR WITHDRAWAL AS ATTORNEY OR AGENT AND CHANGE OF CORRESPONDENCE ADDRESS</b>	Application Number	09/736,529
	Filing Date	December 13, 2000
	First Named Inventor	Gerald W. Mills
	Art Unit	3729
	Examiner Name	Anthony Tugbang
	Attorney Docket Number	723.040US1

To: Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Please withdraw me as attorney or agent for the above identified application, and

- ☒ all the attorneys/agents of record
- ☐ the attorneys/agents (with registration numbers) listed on the attached paper(s), or
- ☒ the attorneys/agents associated with Customer Number 21186


NOTE: This box can only be checked when the power of attorney of record in the application is to all the practitioners associated with a customer number.

The reasons for this request are: The Practitioner is discharged by the client - CFR 10.40 (b) (4)

**CORRESPONDENCE ADDRESS**

1. ☐ The correspondence address is NOT affected by this withdrawal.
2. ☒ Change the correspondence address and direct all future correspondence to:
- ☐ The address association with Customer Number:

**OR**

<input checked="" type="checkbox"/> Firm or Individual Name	Richard W. Warner				
Address	Harness, Dickey & Pierce, P.L.C. 5445 Corporate Drive				
City	Troy	State	MI	Zip	48098
Country	United States				
Telephone				Email	
Signature					
Name	David C. Peterson			Registration No. 47,857	
Date	6-27-07			Telephone No. (612) 373-6944	

NOTE: Withdrawal is effective when approved rather than when received. Unless there are at least 30 days between approval of withdrawal and the expiration date of a time period for response or possible extension period, the request to withdraw is normally disapproved.

This collection of information is required by 37 CFR 1.36. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEED OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.